States States

Cake Quality & Evaluation

One of the world's most famous and commonly consumed baked goods are <u>cakes</u>, with production representing a USD 49.94 billion market. This is expected to grow around 3.3% between 2020-2027. The continuing growth of this market is associated with the growing love for sweet bakery treats and is accompanied by a change in the market dynamic associated with the growing healthy baking trend.¹

This has also caused a need to reformulate or create new lines for trends such as glutenfree, clean label, organic, low sugar, egg-free, etc.

Global cake consumption has showcased that its biggest market includes North America and Europe, with dessert cakes as the leading type in worldwide consumption. Companies now rely on the development of specialty products with a special interest in increasing the offer of healthier product alternatives.



SOR-MATE **Clean Label Mold Inhibitor** SOR-Mate is an effective clean label alternative for chemical preservatives!





What is a Cake?

Made with flour, sugar, butter, eggs and milk, cake is recognized by its fluffy soft texture and rich buttery flavor. A wide variety of cakes is produced worldwide, the most popular being yellow vanilla cake. Each type of cake has its own particular flavor profile and inclusions to provide their special and unique characteristics.²

However, they are typically made from soft wheat flour characterized by low protein content and high purity (mostly endosperm and starch from center of wheat kernels).

Cakes can be classified in two main groups:²

- Foam style cakes (e.g sponge cake, angel food cake, chiffon cake): foam-like appearance produced from the aeration of eggs.
- Batter cakes (e.g pound cake, yellow cake, white cake, chocolate cake): crumb structure resulting from the fat-water emulsion created during batter mixing.



Looking for shelf life solutions?

SOR-Mate from J&K Ingredients has been developed as a clean label mold inhibitor that serves as an effective alternative to chemical preservatives such as sorbic acid or potassium sorbate. Keep your goods mold-free and maintain their quality all without the need for artificial preservatives! <u>Learn more here</u>.



Cake Ingredients and Functions

Ingredient	Туре	Function
		Provides sweetness.
		Tenderizes by actively participating in aeration process.
Sugar	Granulated sugar	Absorbs moisture.
		Improves shelf life.
		Participates in Maillard browning reaction.
Flour	Low protein flour (cake or	Provides crumb-setting for product structure.
		Absorbs liquids.
Fat	Butter or baking margarine	Batter lubricant.
		Tenderizes by interfering with gluten network formation.
		Tenderizes by actively participating in aeration process.
Eggs	Whole egg	Provide structure, volume, moisture and flavor.
		Imparts color.
		Nutrition profile enhancer.
Baking powder	-	Chemical leavening essential for product texture and volume.
Vanilla	Extract	Provides a characteristic sweet flavor.
Salt	Granulated	Flavor and taste enhancer.





Cake Quality Parameters

pH: influences the rate of reaction for the chemical leavening agents. Texture and gluten behavior is also influenced by batter pH. A higher pH tends to favor the browning Maillard reaction. Final pH affects the microbial stability of the product (e.g. mold growth). The typical pH of a classic cake lies between 6.0 - 7.0.

Moisture Content: it affects the shelf life and sensorial acceptability of finished products. Moisture content is commonly measured by a direct method of evaporation (or by indirect methods (e.g. spectroscopy or thermogravimetry).

Water Activity: it determines the microbial and chemical stability of the product and impacts the staling rate of the cake.

Texture: a wide variety of sub parameters define cake texture. The most relevant are hardness, cohesiveness, springiness, and resilience. Texture can be measured with a trained sensory panel or by instrumental methods like <u>texture profile analysis (TPA)</u>.

Cake Volume: associated with the lightness and fluffiness of the cake. It can be measured through instrumental methods.

Cell Structure: considering number of cells, as well as cell diameters, volume, and elongations, among others. It can be measured with instrumental methods.

Color: produced during the baking process due to the browning reactions, it affects acceptability of the product. It can be measured through instrumental methods or by trained sensory panels.

Inclusions: additions such as fruit or chocolate chips can be quantified to provide information about evenness of distribution within the slice.

YPICAL RANGES FOR CAKE VARIETIES				
Parameters	Carrot Cake	Yellow Cake	Fruit Cake	
Moisture	18 - 28%	18 - 28%	18 - 28%	
Water Activity	0.90 - 0.95	0.80 - 0.89	0.70 - 0.79	



Extending Cake Shelf Life

Enhancing the product's shelf life is essential for bakers and manufacturers looking to preserve product quality and recede waste. Here are a few key ingredient and processing strategies:

Anti-Mold

One practical approach is to use preservative salts such as sodium benzoate, potassium sorbate, and calcium/sodium propionate. These salts act to reduce the microbial load on the product and prevent mold growth, extending the cake's shelf life. Potassium sorbate and sorbic acid, in particular, are ideal choices for bakery products with neutral to slightly basic pH, such as cakes.

Clean Label

<u>Natural ingredients</u> such as vinegar can be used to adjust pH and extracts such as citrus or rosemary can help reduce microbial load. However, be cautioned that these ingredients may affect the taste of the product. It has been shown that ingredients such as sorbic acid can reduce microbial loads and prevent mold growth, however it lacks the solubility required to have the greatest effect. <u>SOR-Mate from J&cK Ingredients</u> is a natural preservative designed to replace synthetic additives, such as synthetic potassium sorbate and sorbic acid, in cake formulations. For special applications, it is also available in a gluten-free formulation.



Humectants

Glycerin, sorbitol, and honey help retain moisture in the cake, averting it from becoming dry and crumbly.

Emulsifiers

Ingredients such as lecithin, mono- and diglycerides, and sodium stearoyl lactylate help distribute fats and oils evenly throughout the batter, resulting in a smoother texture and more consistent product.



PROCESSING CONDITIONS

When looking at the processing conditions, a few steps must be taken to ensure a long product shelf life. Overbaking a cake leads to a dry, crumbly texture, higher rate of staling and shorter shelf life, while underbaking can result in a more moist and dense cake that may spoil quickly due to access to available water for mold growth. Therefore, finding the right balance and ensuring that the cake is baked for the appropriate time and temperature is vital.

Finally, sanitation and storage conditions can also affect the cake's shelf life. Cakes should be stored in a cool, dry place away from direct sunlight and moisture. Moisture can lead to mold growth, while heat can cause the cake to spoil more quickly.

IDEAL CAKE TEXTURE & VOLUME

Ideal cake texture and volume depends on the type of cake to be produced. In general, cakes should have a tender texture characterized by a tight grain and crumbly properties. Cake crumb should have a uniform distribution of cells and a uniform cell size. The cell size of cake crumb is definitely smaller than bread.

Volume fully depends on the type of cake produced, mixing method, baking powder amount, aeration extent and overall formulation. Higher volumes are preferred to lower volumes, indicating that higher aeration during mixing is ideal as long as crumb grain is acceptable or within limits. Tools that can help evaluate the quality of cake texture include the <u>C-Cell Texture Analyzer</u>. For measuring water activity, use a water activity analyzer.



GG What preservatives should I use to make my cake last for at least 1-3 months and uphold the texture?

When preserving a cake for an extended period, it's essential to use a combination of strategies. Preservatives like potassium sorbate, sodium propionate, and calcium propionate can prevent mold and yeast growth. <u>SOR-Mat</u>e is another natural preservative with effective mold growth for replacing potassium sorbate or synthetic sorbic acid inhibition properties that can be used. The recommended proportion for using SOR-Mate as a replacement for potassium sorbate or synthetic sorbic acid in a formulation is 3 to 4 parts SOR-Mate per 1 part of the former. SOR-Mate is labeled as "Rowanberry Fruit Extract, Tapioca Flour."

In addition to preservatives, a good humectant and emulsifier are critical to prevent staling, which can cause the cake to become dry and crumbly. Proper storage conditions are also crucial, as the cake should be protected from heat, sunlight, and moisture. By using a combination of preservatives, humectants, emulsifiers, and proper storage techniques, bakers can extend the shelf life of their cakes without compromising on texture or taste.

6 What are the main characteristics of a good sponge cake?

<u>Sponge cakes</u> are a type of foam cake. They are characterized by their formulation which consists of egg yolks, granulated sugar, egg whites and flour, and by their mixing method. Sponge cakes are characterized by their rich flavor and by their soft, resilient and fluffy texture. Their characteristic texture is associated by their specific gravity. A cake's specific gravity is the ratio of the mass of cake batter in a known volume compared to the mass of water in said volume.

Typical values of specific gravity for sponge type cakes are 0.30-0.50. Lower volumes of specific gravity indicates a high amount of air has been incorporated into the batter.





GG What effect does damaged starch in flour have on cake texture and shelf life?

Damaged starch is starch that has gone through a change of its shape due to the milling process. This starch absorbs a greater amount of water at a faster rate than non-damaged starch. Increase of water absorption aids in starch gelatinization, and thus contributes to the structure building of the cake. A high amount of damaged starch (values above 3%) may cause the collapse of the cake during oven spring.⁸

GG How can I determine the moisture content of my cake?

Several techniques can be employed to determine the moisture content of the cake. One option is a moisture meter, which estimates water content through an electric current. Another strategy is to dry the cake in an oven and weigh it before and after drying, allowing for a more accurate measurement. A third method is to use a moisture analyzer, which is similar to the oven method, but takes smaller samples and is faster. These methods can help bakers make necessary recipe adjustments to improve cake quality.

This BAKERpaper is brought to you by J&K Ingredients. We are consistently developing advanced formulas to satisfy the constantly changing needs of consumers. Our SOR-Mate and other clean label product lines now consist of over twenty clean label formulas created to successfully replace not only ADA but also ingredients such as SSL, DATEM, Potassium Sorbate and many more. This allows our customers to proudly and honestly label their food the right way. <u>Learn More</u>.



References

- 1. "Cake Market Size & Share | Industry Report, 2020-2027 ." Grandviewresearch.Com, 2022, <u>https://www.grandviewresearch.com/industry-analysis/cakes-market</u>
- Hui, Y., Corke, H., De Leyn, I., Nip, W.N and Cross, N .Bakery products: science and technology. John Wiley & Sons, 2008.
- 3. Gisslen, W. Professional baking. No. 1. Wiley, 2019.
- BAKERpedia.com. <u>Objective Bread Analysis for</u> <u>Solving Quality Analysis</u>. BAKERpaper Issue 18.
- 5. Cauvain, S.P., and Young, L.S eds. The ICC handbook of cereals, flour, dough & product testing: methods and applications. DEStech Publications, Inc, 2009.
- 6. Cauvain, S.P., and Young, L.S. More baking problems solved. Elsevier, 2009.
- 7. BAKERpedia, "Cake Texture & Shelf Life | Ask Dr Lin Episode 27 | BAKERpedia". YouTube, uploaded by BAKERpedia, 14 November 2019, <u>https://youtu.be/L9AszHXqqM4</u>
- 8. Khemakhem, B et al. "Improving changes in physical, sensory and texture properties of cake supplemented with purified amylase from fenugreek (Trigonella foenum graecum) seeds." 3 Biotech vol. 8,3 (2018): 174. doi:10.1007/s13205-018-1197-z"
- 9. Specific Gravity For Cakes | Baking Processes | Bakerpedia." Bakerpedia, 2022, <u>https://bakerpedia.com/processes/specific-gravitycakes/</u>

